NOXIOUS WEED IDENTIFICATION GUIDE CANOA RANCH POLLINATOR GARDEN








TABLE OF CONTENTS

	SPRING	SUMMER	FALL	WINTER
Amaranth/Pigweed, p. 1 (Amaranthus palmeri)				
Desert Horse Purslane, p. 2 (Trianthema portulacastrum)				
Bermuda Grass,p. 3 (Cynodon dactylon)				
Buffelgrass, p. 4 (Cenchrus ciliaris/ Pennisetum ciliare)				
Desert Broom, p. 5 (Baccharis sarothroides)				
London Rocket, p. 6 (Sisymbrium irio)				
Lovegrass, p. 7 (Eragrostis sp.)				
Russian Thistle, p. 8 (Salsola sp.)				
Sahara Mustard, p. 9 (Brassica tournefortii)				
Sources/Photo Credits, p. 10				

^{**}Current as of 09/2020. Subject to seasonal revisions based on site conditions.

Amaranth/Pigweed

Amaranthus palmeri





Family: Amaranth (Amaranthaceae)

Growth Form: Tall, branching, annual herb.

Size: 6-10' height

Flowering Season: Summer - Fall (Jul. - Nov.)

Flower: Yellow bracts

Leaves: Lance to oval shape with pointed tips,

alternate on stems, reddish undersides.





Desert Horse Purselane

Trianthema portulacastrum



••••••••••••••

••••••••••••••••••



Family: Fig (Aizoaceae)

CAN BE MISTAKEN FOR PIGWEED, USE AS REFERENCE TO DIFFERENTIATE (PURSELANE NOT NOXIOUS WEED).

Growth Form: Sprawling, trailing or low-growing annual.

Size: Up to 1.5' height (usually a few inches), 3-4' spread.

Flowering Season: Summer - Fall (Jun. - Oct.)

Flower: Purple, pink-purple.

Leaves: Fleshy/succulent, alternate arrangement along reddish stems, pairs uneven in size. Oval-shaped,

prominent vein.





Bermuda Grass

Cynodon dactylon





Family: Grass (Poaceae)

Growth Form: Invasive grass with extensive rhizomes.

Size: Up to 2' height, 0.5'-2' spread, more from rhizomes.

Flowering Season: Late Spring - Fall (May - Oct.)

Flower: Branched, narrow seed heads.

Leaves: Blades up to 2.5' long, 1.5' wide. Mature leaves

flat, lanceolate in shape with pointed tip.





Buffelgrass

Cenchrus ciliaris/Pennisetum ciliare





Family: Grass (Poaceae)

Growth Form: Heavily invasive perennial bunch grass.


Size: 1-5' height x 2-3' width.

Flowering Season: Spring - Fall.

Flower: Fluffy, reddish-purple flower/seed heads. Rough

rachis (stem bearing flower stalks).

Leaves: Blades are green, flat, 3-18" long, up to 0.5" wide. Can be covered in fine hairs on surface or on margins.



Desert Broom

Baccharis sarothroides





Family: Sunflower(Asteraceae)

Growth Form: Perennial, evergreen shrub.

Size: Up to 12' height x 12' width.

Flowering Season: Fall - Winter.

Flower: White, Cream, Tan. Male/female flowers on

separate plants (dioecious).

Leaves: Blades linear or needle-like, up to 0.5" long.





London Rocket

Sisymbrium irio





Family: Mustard (Brassicaceae)

Growth Form: Upright winter annual forb/herb.

Size: Up to 2.5-3' height x 0.5-1' width.

Flowering Season: Early Spring.

Flower: Yellow. In small clusters at branch tips.

Leaves: Basal rosette and on stems. Green, up to $6" \times 2.5"$, lanceolate in shape, dissected in several lobes.





Lovegrass

Eragrostis sp.





Family: Grass (Poaceae)

Growth Form: Heavily invasive annual or perennial grass.

Size: Up to 5' height (varies depending on species).

Flowering Season: Spring - Fall.

Flower: Vary depending on species, generally in divergent branching/pedicel form, heads can be finer in texture to bulkier.

Leaves: Blades flat, up to 5" long and 0.1" wide. Can sometimes be covered in fine hairs or have rough surface.









Russian Thistle/Tumbleweed

Salsola sp.





Family: Amaranth (Amaranthceae)

Growth Form: Large, annual forb/herb.

Size: Up to 3' height x 6' width.

Flowering Season: Summer - Fall.

Flower: Greenish-white, inconspicuous.

Leaves: Green. Linear, needle-like leaves in seedlings. Mature leaves shorter and rounder, tipped with stiff spine.





Sahara Mustard

Brassica tournefortii





Family: Mustard (Brassicaceae)

Growth Form: Annual, upright herb/forb.

Size: Up to 2.5' height.

Flowering Season: Winter - Spring (Feb.-Apr.)

Flower: Yellow. Branching off/in clusters on top of stems.

Leaves: Strong basal rosette, few leaves on stem. Green, heavily lobed with serrated edges, stiff and hairy.





SOURCES/PHOTO CREDITS

California Native Plant Society - Calscape calscape.org

Natural History of Orange County - UC Irvine nathistoc.bio.uci.edu

SEINet (Arizona - New Mexico Chapter) swbiodiversity.org

Southwest Desert Flora southwestdesertflora.com

The Firefly Forest fireflyforest.net

USDA Natural Resources Conservation Service plants.usda.gov

Virtual Library of Phoenix Landscape Plants public.asu.edu/~camartin/plants/

